

Fièvre aphteuse en Allemagne



Point de situation (13/01/2025)

Foyer (Hönow, Märkish-Oderland)

- 9/01/2025 : suspicion
- 10/01/2025 : confirmation
- 14 buffles d'eau, 3 morts (2 le 5/01, 1 le 6/01/2025), tous viropositifs
- séropositifs => démarrage en décembre
=> Ancienneté : 3 semaines
- Elevage bio bien tenu, production aliment sur la ferme
- Présence importante du public dans la zone

Lien épidémio Schöneiche (Oder-Spree, 20 km)

- chèvres

A proximité 800 m)

- Élevage de porcs (n=170)

Dépeuplés
préventivement



Zone

Zonages

- Zone de protection (Schutzzone) : 9 établissements (aucun signe clinique, tous testés négatifs)
- Zone de surveillance (Überwachungszone) : 136 établissements

3 Kreise proche de Berlin :


- Märkisch-Oderland
- Barnim
- Marzahn/Hellersdorf (Berlin)

Standstill dans le Brandebourg pendant
72 h (étendu 48h)



Virus

- Souche appartenant à la lignée O/ME-SA/SA-2018
- Détecté en
 - Inde
 - Sri Lanka
 - Népal
 - Oman
 - Emirats arabes unis
 - Turquie
- Origine du foyer : non connue



April 2024

Figure 1: Recent FMD global outbreaks

Note: New headline events reported January to March 2024 are highlighted in red with FMD endemic pools highlighted in orange.

Source: WRLFMD. Map conforms to the United Nations World Map, June 2020.

(Source: FMD quarterly reports 2024 (WRL))